

The Kennedy Plays.lw6


GOBO COUNT

Rosco

R78418

16 for ETC Source4 26deg 750W

16 Total



R78023

16 for ETC Source4 26deg 750W

16 Total



R78129

5 for ETC Source4 19deg 750W

5 Total



R_C2-1005

2 for ETC Source4 36deg 750W


2 Total



R77529

2 for ETC Source4 19deg 750W

2 Total



Rosco Total: 41

GAM

Gobo Count

The Kennedy Plays.lw6

G726

12 for ETC Source4 26deg 750W

12 Total



GAM Total: 12

The Kennedy Plays.lw6

COLOR COUNT

Color Cuts

 R119

ETC Source4 26deg 750W	7 cuts
ETC Source4 36deg 750W	3 cuts
ETC Source4 19deg 750W	9 cuts
ETC Source4 LED 19deg	3 cuts
ETC Source4 LED 26deg	15 cuts
ETC Source4 LED 36deg	6 cuts
<hr style="border-top: 1px dashed black;"/>	
Total:	43 cuts

 R3203

Altman PAR 64 NSP	24 cuts
<hr style="border-top: 1px dashed black;"/>	
Total:	24 cuts

 R3204

ETC Source4 26deg 750W	6 cuts
ETC Source4 36deg 750W	6 cuts
ETC Source4 10deg 750W	5 cuts
ETC Source4 PAR MFL	30 cuts
<hr style="border-top: 1px dashed black;"/>	
Total:	47 cuts

 R3202

ETC Source4 26deg 750W	12 cuts
Altman Zip Strip 3 Circuit	6 cuts
<hr style="border-top: 1px dashed black;"/>	
Total:	18 cuts


 R70


ETC Source4 26deg 750W	16 cuts
<hr style="border-top: 1px dashed black;"/>	
Total:	16 cuts


 R09


ETC Source4 26deg 750W	16 cuts
Altman Zip Strip 3 Circuit	6 cuts
<hr style="border-top: 1px dashed black;"/>	
Total:	22 cuts


The Kennedy Plays.lw6


	R3315	ETC Source4 26deg 750W	8 cuts
		ETC Source4 19deg 750W	2 cuts
		Total:	10 cuts


	R132	ETC Source4 26deg 750W	5 cuts
		ETC Source4 10deg 750W	5 cuts
		ETC Source4 Zoom 15-30°	15 cuts
		ETC Source4 19deg 750W	6 cuts
		Total:	31 cuts


	R3206	ETC Source4 26deg 750W	8 cuts
		ETC Source4 36deg 750W	3 cuts
		ETC Source4 Zoom 15-30°	15 cuts
		Total:	26 cuts

	R3208	ETC Source4 19deg 750W	6 cuts
		Total:	6 cuts

	R361	ETC Source4 19deg 750W	5 cuts
		Total:	5 cuts

	R60	ETC Source4 19deg 750W	2 cuts
		Total:	2 cuts

	R362	ETC Source4 19deg 750W	4 cuts
		Total:	4 cuts

	R3304	Altman Zip Strip 3 Circuit	6 cuts



Color Count

The Kennedy Plays.lw6

R3304 (continued)

Total: 6 cuts



The Kennedy Plays.lw6

Color Count

COLOR FRAMES

Instrument Type	Frame Label	Size	Per Ckt	Per Sheet
ETC Source4			1	
ETC Source4 26deg 750W			1	
ETC Source4 36deg 750W			1	
ETC Source4 10deg 750W			1	
ETC Source4 Zoom 15-30°			1	
ETC Source4 19deg 750W			1	
ETC Lustr			1	
ETC Source4 LED 19deg			1	
ETC Source4 LED 26deg			1	
ETC Source4 LED 36deg			1	
Altman PAR 64 NSP			1	
ECT PAR			1	
ETC Source4 PAR MFL			1	
Altman			1	
Altman Q Lite			1	
Altman Zip Strip 2 Circuit			1	
Altman Zip Strip 3 Circuit			1	
Seachanger ETC Source4 36deg 750W			1	
Seachanger ETC Source4 36deg 750W6C			1	
Moving Lights			1	
Martin MACTW1			1	
High End Systems SolaTheater			1	
Practicals			1	
PRACTICAL			1	



The Kennedy Plays.lw6

Instrument Type Count

INSTRUMENT TYPE COUNT

Qty	Instrument Type	Load		
ETC Source4				
5	ETC Source4 10deg 750W	750w	5	Total
19	ETC Source4 19deg 750W	750w	19	Total
66	ETC Source4 26deg 750W	750w	66	Total
11	ETC Source4 36deg 750W	750w	11	Total
15	ETC Source4 Zoom 15-30°	750w	15	Total
ETC Source4 Total: 116				
ETC Lustr				
3	ETC Source4 LED 19deg	140w	3	Total
15	ETC Source4 LED 26deg	140w	15	Total
6	ETC Source4 LED 36deg	140w	6	Total
ETC Lustr Total: 24				
ECT PAR				
30	ETC Source4 PAR MFL	575w	30	Total
ECT PAR Total: 30				
Altman				
7	Altman Q Lite	1kW	7	Total
Altman Total: 13				
24	Altman PAR 64 NSP	1kW	24	Total
6	Altman Zip Strip 3 Circuit	3w	6	Total
12	Seachanger ETC Source4 36deg 750W	750w	12	Total
Moving Lights				
6	Martin MACTW1	1,233w	6	Total
5	High End Systems SolaTheater	500w	5	Total
Moving Lights Total: 11				
Practicals				
8	PRACTICAL		8	Total



The Kennedy Plays.lw6

Instrument Type Count

(continued)

TOTAL LIGHTS:

238



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(1)	1/327	21	1ST ELECTRIC	ETC Source4 26deg 750W	FRONT LIGHT	R3206 + R132	
(2)	1/337	17	1ST ELECTRIC	ETC Source4 26deg 750W	FRONT LIGHT	R3206 + R132	
(3)	1/329	13	1ST ELECTRIC	ETC Source4 26deg 750W	FRONT LIGHT	R3206 + R132	
(4)	1/333	9	1ST ELECTRIC	ETC Source4 26deg 750W	FRONT LIGHT	R3206 + R132	
(5)	1/342	6	1ST ELECTRIC	ETC Source4 26deg 750W	FRONT LIGHT	R3206 + R132	
(6)	1/156	6	GRID PIPE AB	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(7)	1/153	5	GRID PIPE AB	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(8)	1/147	3	GRID PIPE AB	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(9)	1/148	2	GRID PIPE AB	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(10)	1/145	1	GRID PIPE AB	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(11)	1/155	8	GRID PIPE B	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(12)	1/123	6	GRID PIPE B	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(13)	1/154	4	GRID PIPE B	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(14)	1/150	3	GRID PIPE B	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(15)	1/146	1	GRID PIPE B	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(16)	1/127	5	GRID PIPE CC	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(17)	1/125	4	GRID PIPE CC	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(18)	1/119	3	GRID PIPE CC	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(19)	1/122	2	GRID PIPE CC	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(20)	1/118	1	GRID PIPE CC	ETC Source4 Zoom 15-30°	FRONT LIGHT	R3206 + R132	
(21)	1/421	26	4TH ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(22)	1/424	23	4TH ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	R3204	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(23)	1/418	17	4TH ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(24)	1/268	11	4TH ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(25)	1/402	7	4TH ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(26)	1/405	4	4TH ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(27)	1/386	27	3RD ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(28)	1/388	23	3RD ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(29)	1/374	19	3RD ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(30)	1/376	16	3RD ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(31)	1/366	9	3RD ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(32)	1/370	4	3RD ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(33)	1/364	14	2ND ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(34)	1/353	12	2ND ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(35)	1/356	9	2ND ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(36)	1/348	5	2ND ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(37)	1/350	3	2ND ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(38)	1/352	1	2ND ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(39)	1/326	22	1ST ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(40)	1/336	18	1ST ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(41)	1/339	15	1ST ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(42)	1/331	11	1ST ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(43)	1/334	8	1ST ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	
(44)	1/343	5	1ST ELECTRIC	ETC Source4 PAR MFL	TOP LIGHT	<input type="radio"/> R3204	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(45)	1/195	18	GRID PIPE AA	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(46)	1/198	15	GRID PIPE AA	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(47)	1/194	12	GRID PIPE AA	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(48)	1/183	10	GRID PIPE AA	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(49)	1/179	7	GRID PIPE AA	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(50)	1/171	4	GRID PIPE AA	ETC Source4 PAR MFL	TOP LIGHT	R3204	
(51)	1/425	12	5TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(52)	1/427	10	5TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(53)	1/429	8	5TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(54)	1/433	4	5TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(55)	1/435	2	5TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(56)	1/436	1	5TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(57)	1/422	25	4TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(58)	1/413	22	4TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(59)	1/417	18	4TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(60)	1/408	14	4TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(61)	1/401	8	4TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(62)	1/404	5	4TH ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(63)	1/387	26	3RD ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(64)	1/371	22	3RD ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(65)	1/375	17	3RD ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(66)	1/378	15	3RD ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(67)	1/365	10	3RD ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(68)	1/369	5	3RD ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(69)	1/363	13	2ND ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(70)	1/354	11	2ND ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(71)	1/357	8	2ND ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(72)	1/347	6	2ND ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(73)	1/349	4	2ND ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(74)	1/351	2	2ND ELECTRIC	Altman PAR 64 NSP	BX LIGHT	R3203	
(81)	1/428	9	5TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(82)	1/430	7	5TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(83)	1/432	5	5TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(84)	1/434	3	5TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(85)	1/414	21	4TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(86)	1/407	16	4TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(87)	1/267	13	4TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(88)	1/412	9	4TH ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(89)	1/372	21	3RD ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(90)	1/377	18	3RD ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(91)	1/380	13	3RD ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(92)	1/382	11	3RD ELECTRIC	ETC Source4 26deg 750W	BX. TEXT COOL	R3202	G726
(101)	7/183	2	S R BOX BOOM	ETC Source4 LED 26deg	LED SIDE BOOM	R119	
(102)	7/174	2	S L BOX BOOM	ETC Source4 LED 26deg	LED SIDE BOOM	R119	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(103)	9/28	1	S R BOOM 1	ETC Source4 LED 36deg	LED SIDE BOOM	<input type="radio"/> R119	
(104)	9/1	1	S L BOOM 1	ETC Source4 LED 36deg	LED SIDE BOOM	<input type="radio"/> R119	
(105)	9/37	1	S R BOOM 2	ETC Source4 LED 36deg	LED SIDE BOOM	<input type="radio"/> R119	
(106)	9/10	1	S L BOOM 2	ETC Source4 LED 36deg	LED SIDE BOOM	<input type="radio"/> R119	
(107)	9/46	2	S R BOOM 3	ETC Source4 LED 36deg	LED SIDE BOOM	<input type="radio"/> R119	
(108)	9/19	2	S L BOOM 3	ETC Source4 LED 36deg	LED SIDE BOOM	<input type="radio"/> R119	
(109)	7/192	3	S R BOX BOOM	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(110)	7/165	1	S L BOX BOOM	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(111)	8/28	3	S R LADDER 1	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(112)	8/1	1	S L LADDER 1	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(113)	8/37	1	S R LADDER 2	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(114)	8/10	1	S L LADDER 2	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(115)	8/46	2	S R LADDER 4	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(116)	8/19	1	S L LADDER 4	ETC Source4 LED 26deg	LED SIDE LADDERS	<input type="radio"/> R119	
(117)	7/109	20	GRID PIPE AA	ETC Source4 LED 19deg	LED SIDE PIPES	<input type="radio"/> R119	
(118)	7/100	1	GRID PIPE AA	ETC Source4 LED 19deg	LED SIDE PIPES	<input type="radio"/> R119	
(119)	6/19	26	1ST ELECTRIC	ETC Source4 LED 26deg	LED SIDE PIPES	<input type="radio"/> R119	
(120)	6/10	1	1ST ELECTRIC	ETC Source4 LED 26deg	LED SIDE PIPES	<input type="radio"/> R119	
(121)	6/37	30	3RD ELECTRIC	ETC Source4 LED 26deg	LED SIDE PIPES	<input type="radio"/> R119	
(122)	6/28	1	3RD ELECTRIC	ETC Source4 LED 26deg	LED SIDE PIPES	<input type="radio"/> R119	
(123)	6/1	29	4TH ELECTRIC	ETC Source4 LED 19deg	LED SIDE PIPES	<input type="radio"/> R119	
(124)	6/46	1	4TH ELECTRIC	ETC Source4 LED 26deg	LED SIDE PIPES	<input type="radio"/> R119	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(131)	1/203	19	GRID PIPE AA	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(132)	1/196	17	GRID PIPE AA	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(133)	1/197	16	GRID PIPE AA	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(134)	1/193	13	GRID PIPE AA	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(135)	1/324	24	1ST ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(136)	1/325	23	1ST ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(137)	1/335	19	1ST ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(138)	1/338	16	1ST ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(139)	1/383	29	3RD ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(140)	1/385	28	3RD ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(141)	1/384	24	3RD ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(142)	1/373	20	3RD ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(143)	1/419	28	4TH ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(144)	1/420	27	4TH ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(145)	1/423	24	4TH ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(146)	1/416	19	4TH ELECTRIC	ETC Source4 26deg 750W	SR TEXT. WARM	R09	R78418
(151)	1/184	9	GRID PIPE AA	ETC Source4 26deg 750W	SL TEXT. COOL	R70	R78023
(152)	1/181	6	GRID PIPE AA	ETC Source4 26deg 750W	SL TEXT. COOL	R70	R78023
(153)	1/173	3	GRID PIPE AA	ETC Source4 26deg 750W	SL TEXT. COOL	R70	R78023
(154)	1/174	2	GRID PIPE AA	ETC Source4 26deg 750W	SL TEXT. COOL	R70	R78023
(155)	1/332	10	1ST ELECTRIC	ETC Source4 26deg 750W	SL TEXT. COOL	R70	R78023
(156)	1/341	7	1ST ELECTRIC	ETC Source4 26deg 750W	SL TEXT. COOL	R70	R78023



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(157)	1/344	4	1ST ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(158)	1/346	2	1ST ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(159)	1/381	12	3RD ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(160)	1/367	8	3RD ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(161)	1/394	3	3RD ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(162)	1/393	2	3RD ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(163)	1/411	10	4TH ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(164)	1/403	6	4TH ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(165)	1/406	3	4TH ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(166)	1/395	2	4TH ELECTRIC	ETC Source4 26deg 750W	SLTEXT. COOL	R70	R78023
(171)	1/308	2	S R LADDER 1	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(172)	1/271	3	S L LADDER 1	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(173)	1/311	2	S R LADDER 3	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(174)	1/280	1	S L LADDER 3	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(175)	1/315	3	S R LADDER 4	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(176)	1/278	2	S L LADDER 4	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(177)	1/307	1	S R LADDER 1	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(178)	1/272	2	S L LADDER 1	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(179)	1/312	1	S R LADDER 3	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	
(180)	1/279	2	S L LADDER 3	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="checkbox"/> N/C	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(181)	1/314	1	S R LADDER 4	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="radio"/> N/C	
(182)	2/30	3	S L LADDER 4	Seachanger ETC Source4 36deg 750W	SIDE SEACHANGER	<input type="radio"/> N/C	
(191)	1/482	3	S R BOOM 1	ETC Source4 36deg 750W	BOOM MIDS	<input checked="" type="radio"/> R3204	
(192)	1/481	3	S L BOOM 1	ETC Source4 36deg 750W	BOOM MIDS	<input checked="" type="radio"/> R3204	
(193)	1/484	3	S R BOOM 2	ETC Source4 36deg 750W	BOOM MIDS	<input checked="" type="radio"/> R3204	
(194)	1/479	3	S L BOOM 2	ETC Source4 36deg 750W	BOOM MIDS	<input checked="" type="radio"/> R3204	
(195)	1/487	1	S R BOOM 3	ETC Source4 36deg 750W	BOOM MIDS	<input checked="" type="radio"/> R3204	
(196)	1/477	1	S L BOOM 3	ETC Source4 36deg 750W	BOOM MIDS	<input checked="" type="radio"/> R3204	
(197)	1/483	2	S R BOOM 1	ETC Source4 26deg 750W	BOOM HEADS	<input checked="" type="radio"/> R3204	
(198)	1/480	2	S L BOOM 1	ETC Source4 26deg 750W	BOOM HEADS	<input checked="" type="radio"/> R3204	
(199)	1/485	2	S R BOOM 2	ETC Source4 26deg 750W	BOOM HEADS	<input checked="" type="radio"/> R3204	
(200)	1/478	2	S L BOOM 2	ETC Source4 26deg 750W	BOOM HEADS	<input checked="" type="radio"/> R3204	
(201)	1/486	3	S R BOOM 3	ETC Source4 26deg 750W	BOOM HEADS	<input checked="" type="radio"/> R3204	
(202)	1/476	3	S L BOOM 3	ETC Source4 26deg 750W	BOOM HEADS	<input checked="" type="radio"/> R3204	
(211)	1/468	6	DS DECK	Altman Zip Strip 3 Circuit	FL FOOT	<input checked="" type="radio"/> R09 + R3202 + R3304	
(212)	1/459	5	DS DECK	Altman Zip Strip 3 Circuit	FL FOOT	<input checked="" type="radio"/> R09 + R3202 + R3304	
(213)	1/475	4	DS DECK	Altman Zip Strip 3 Circuit	FL FOOT	<input checked="" type="radio"/> R09 + R3202 + R3304	
(214)	1/472	3	DS DECK	Altman Zip Strip 3 Circuit	FL FOOT	<input checked="" type="radio"/> R09 + R3202 + R3304	
(215)	1/469	2	DS DECK	Altman Zip Strip 3 Circuit	FL FOOT	<input checked="" type="radio"/> R09 + R3202 + R3304	
(216)	1/460	1	DS DECK	Altman Zip Strip 3 Circuit	FL FOOT	<input checked="" type="radio"/> R09 + R3202 + R3304	
(221)	2/31	11	US DECK	Altman Q Lite	BX FOOT		



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(222)	2/36	10	US DECK	Altman Q Lite	BX FOOT		
(223)	2/37	9	US DECK	Altman Q Lite	BX FOOT		
(224)	2/38	8	US DECK	Altman Q Lite	BX FOOT		
(225)	2/39	6	US DECK	Altman Q Lite	BX FOOT		
(226)	2/40	4	US DECK	Altman Q Lite	BX FOOT		
(227)	2/41	2	US DECK	Altman Q Lite	BX FOOT		
(231)	1/440	5	6TH ELECTRIC	ETC Source4 26deg 750W	STORERM SP.	R3315	
(232)	1/442	3	6TH ELECTRIC	ETC Source4 26deg 750W	STORERM SP.	R3315	
(233)	1/399	2	6TH ELECTRIC	ETC Source4 26deg 750W	STORERM SP.	R3315	
(234)	1/368	7	3RD ELECTRIC	ETC Source4 19deg 750W	KAY SPECIAL	R3315	
(235)	1/431	6	5TH ELECTRIC	ETC Source4 19deg 750W	AHERNE BX SPECIAL	R3315	
(236)	1/355	10	2ND ELECTRIC	ETC Source4 26deg 750W	CHRIS SPECIAL	R3315	
(237)	1/149	5	GRID PIPE B	ETC Source4 26deg 750W	HEART STAIR SP	R3315 + R119	
(238)	1/158	4	GRID PIPE AB	ETC Source4 26deg 750W	HEART STAIR SP	R3315 + R119	
(239)	1/187	11	GRID PIPE AA	ETC Source4 26deg 750W	HEART STAIR SP	R3315 + R119	
(240)	1/340	14	1ST ELECTRIC	ETC Source4 26deg 750W	HEART STAIR SP	R3315 + R119	
(241)	1/426	11	5TH ELECTRIC	ETC Source4 36deg 750W	MS STAIR SPECIAL	R3206 + R119	
(242)	1/415	20	4TH ELECTRIC	ETC Source4 36deg 750W	MS STAIR SPECIAL	R3206 + R119	
(243)	1/379	14	3RD ELECTRIC	ETC Source4 36deg 750W	MS STAIR SPECIAL	R3206 + R119	
(244)	1/330	12	1ST ELECTRIC	ETC Source4 26deg 750W	MS DECK SP	R3206 + R119	
(245)	1/182	5	GRID PIPE AA	ETC Source4 26deg 750W	MS DECK SP	R3206 + R119	
(246)	1/345	3	1ST ELECTRIC	ETC Source4 26deg 750W	MS DECK SP	R3206 + R119	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(247)	1/244	8	S R BOX BOOM	ETC Source4 19deg 750W	MS STAIRS FL	R3208 + R132	
(248)	1/242	6	S R BOX BOOM	ETC Source4 19deg 750W	MS STAIRS FL	R3208 + R132	
(249)	1/241	4	S R BOX BOOM	ETC Source4 19deg 750W	MS STAIRS FL	R3208 + R132	
(250)	1/243	5	S R BOX BOOM	ETC Source4 19deg 750W	MS STAIRS FL	R3208 + R132	
(251)	1/246	1	S R BOX BOOM	ETC Source4 19deg 750W	MS STAIRS FL	R3208 + R132	
(252)	1/245	7	S R BOX BOOM	ETC Source4 19deg 750W	MS STAIRS FL	R3208 + R132	
(301)	1/215	5	BOOTH PIPE	ETC Source4 10deg 750W	FL EYES	R3204 +R132	
(302)	1/216	4	BOOTH PIPE	ETC Source4 10deg 750W	FL EYES	R3204 +R132	
(303)	1/213	3	BOOTH PIPE	ETC Source4 10deg 750W	FL EYES	R3204 +R132	
(304)	1/211	2	BOOTH PIPE	ETC Source4 10deg 750W	FL EYES	R3204 +R132	
(305)	1/212	1	BOOTH PIPE	ETC Source4 10deg 750W	FL EYES	R3204 +R132	
(311)	1/328	20	1ST ELECTRIC	ETC Source4 19deg 750W	VIVA BED	R60	R77529
(312)	1/323	25	1ST ELECTRIC	ETC Source4 19deg 750W	HOSP BED	R60	R77529
(315)	1/437	8	6TH ELECTRIC	ETC Source4 19deg 750W	BOAT LANE	R361 + R119	R78129
(316)	1/438	7	6TH ELECTRIC	ETC Source4 19deg 750W	BOAT LANE	R361 + R119	R78129
(317)	1/439	6	6TH ELECTRIC	ETC Source4 19deg 750W	BOAT LANE	R361 + R119	R78129
(318)	1/441	4	6TH ELECTRIC	ETC Source4 19deg 750W	BOAT LANE	R361 + R119	R78129
(319)	1/398	1	6TH ELECTRIC	ETC Source4 19deg 750W	BOAT LANE	R361 + R119	R78129
(321)	1/313	1	S R LADDER 5	ETC Source4 19deg 750W	BOAT SL	R362 + R119	
(322)	1/285	1	S L LADDER 5	ETC Source4 19deg 750W	BOAT SL	R362 + R119	
(323)	1/316	2	S R LADDER 5	ETC Source4 19deg 750W	BOAT SL	R362 + R119	
(324)	1/284	2	S L LADDER 5	ETC Source4 19deg 750W	BOAT SL	R362 + R119	



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(366)	1/358	7	2ND ELECTRIC	ETC Source4 36deg 750W	SUN SP	<input type="radio"/> N/C	R_C2-1005
(367)	1/188	7	GRID PIPE AA	ETC Source4 36deg 750W	SUN SP	<input type="radio"/> N/C	R_C2-1005
(501)	1/361	1	LINESET 10	PRACTICAL	C CAR PRACTICAL		
(502)	1/397	12	4TH ELECTRIC	PRACTICAL	W CAR PRACTICAL		
(503)	1/396	1	LINESET 16	PRACTICAL	HEART STAIR PRACTICAL		
(504)	1/362	2	LINESET 10	PRACTICAL	CHRIS ROOM PRACTICAL		
(511)	2/35	7	US DECK	PRACTICAL	KEROSENE LAMP		
(512)	2/34	5	US DECK	PRACTICAL	KEROSENE LAMP		
(513)	2/33	3	US DECK	PRACTICAL	KEROSENE LAMP		
(514)	2/32	1	US DECK	PRACTICAL	KEROSENE LAMP		
(521)	1/309		DS DECK	PRACTICAL	VANITY		
(601)	7/140	7	GRID PIPE B	Martin MAC TW1	TW1		
(602)	7/120	2	GRID PIPE B	Martin MAC TW1	TW1		
(603)	9/60	1	TW1 MOUNT DSR	Martin MAC TW1	TW1		
(604)	9/270	1	TW1 MOUNT DSL	Martin MAC TW1	TW1		
(605)	9/80	1	TW1 MOUNT MSR	Martin MAC TW1	TW1		
(606)	9/100	1	TW1 MOUNT MSL	Martin MAC TW1	TW1		
(607)	7/48	14	GRID PIPE AA	High End Systems SolaTheater	SOLA		
(608)	7/1	8	GRID PIPE AA	High End Systems SolaTheater	SOLA		
(609)	6/154	15	4TH ELECTRIC	High End Systems SolaTheater	SOLA		
(610)	6/107	25	3RD ELECTRIC	High End Systems SolaTheater	SOLA		



Channel Hookup

The Kennedy Plays.lw6

Channel	Addr	U#	Position	Instrument Type	Purpose	Color	Gobo
(611)	6/60	6	3RD ELECTRIC	High End Systems SolaTheater	SOLA		



The Kennedy Plays.lw6

Instrument Schedule

12/18/22 10:42 AM

TABLE OF CONTENTS

1ST ELECTRIC	1	S L LADDER 1	24
2ND ELECTRIC	4	S L LADDER 2	24
3RD ELECTRIC	6	S L LADDER 3	25
4TH ELECTRIC	9	S L LADDER 4	25
5TH ELECTRIC	12	S L LADDER 5	26
6TH ELECTRIC	13	S R BOOM 1	26
BOOTH PIPE	14	S R BOOM 2	27
DS DECK	15	S R BOOM 3	27
GRID PIPE AA	16	S R BOX BOOM	28
GRID PIPE AB	19	S R LADDER 1	29
GRID PIPE B	20	S R LADDER 2	29
GRID PIPE CC	21	S R LADDER 3	30
LINESET 10	21	S R LADDER 4	30
LINESET 16	22	S R LADDER 5	31
S L BOOM 1	22	TW1 MOUNT DSR	31
S L BOOM 2	23	US DECK	32
S L BOOM 3	23	TW1 MOUNT MSR	33
S L BOX BOOM	24	TW1 MOUNT MSL	33
		TW1 MOUNT DSL	34



The Kennedy Plays.lw6

Instrument Schedule

1ST ELECTRIC












U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(120)	6/10	ETC Source4 LED 26deg	R119	LED SIDE PIPES	DSR		-10', 6'	F:S2S	CUT OFF FRONT OF LEGS
2	(158)	1/346	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DSL		12', 8'	F:HO	
3	(246)	1/345	ETC Source4 26deg 750W	R3206 + R119	MS DECK SP	CMSL		MS DECK SL	F:S2S	CUTTO DECK EDGES
4	(157)	1/344	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DMSL		4', 8'	F:HO	
5	(44)	1/343	ETC Source4 PAR MFL	R3204	TOP LIGHT	DDSL		15', 3'		
6	(5)	1/342	ETC Source4 26deg 750W	R3206 + R132	FRONT LIGHT	USL		13', 24'	F:S2S	
7	(156)	1/341	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DMSR		-4', 8'	F:HO	
8	(43)	1/334	ETC Source4 PAR MFL	R3204	TOP LIGHT	DDMSL		9', 3'		
9	(4)	1/333	ETC Source4 26deg 750W	R3206 + R132	FRONT LIGHT	UMSL		6', 24'	F:S2S	
10	(155)	1/332	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DSR		-12', 8'	F:HO	
11	(42)	1/331	ETC Source4 PAR MFL	R3204	TOP LIGHT	DDMSL		3', 3'		
12	(244)	1/330	ETC Source4 26deg 750W	R3206 + R119	MS DECK SP	CMSL		MS DECK SR	F:S2S	CUTTO DECK EDGES
13	(3)	1/329	ETC Source4 26deg 750W	R3206 + R132	FRONT LIGHT	USC		0', 24'	F:S2S	



The Kennedy Plays.lw6

Instrument Schedule

1ST ELECTRIC




U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
14	(240)	1/340	ETC Source4 26deg 750W	 R3315 + R119	HEART STAIR SP	CMSR		-3', 18'	F:S2S / TOP OF STAIR	CUTTO STAIR
15	(41)	1/339	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DDMS R		-3', 3'		
16	(138)	1/338	ETC Source4 26deg 750W	 R09, T:R78418	SR TEXT. WARM	DSL		12', 8'	F:HO	
17	(2)	1/337	ETC Source4 26deg 750W	 R3206 + R132	FRONT LIGHT	UMSR		-6', 24'	F:S2S	
18	(40)	1/336	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DDMS R		-9', 3'		
19	(137)	1/335	ETC Source4 26deg 750W	 R09, T:R78418	SR TEXT. WARM	DMSL		4', 8'	F:HO	
20	(311)	1/328	ETC Source4 19deg 750W	 R60, T:R77529	VIVA BED	DMSL		6', 3'6"	F:TBD / CENTER ON VIVA BED	TBD
21	(1)	1/327	ETC Source4 26deg 750W	 R3206 + R132	FRONT LIGHT	USR		-13', 24'	F:S2S	
22	(39)	1/326	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DDSR		-15', 3'		
23	(136)	1/325	ETC Source4 26deg 750W	 R09, T:R78418	SR TEXT. WARM	DMSR		-4', 8'	F:HO	
24	(135)	1/324	ETC Source4 26deg 750W	 R09, T:R78418	SR TEXT. WARM	DSR		-12', 8'	F:HO	



The Kennedy Plays.lw6

Instrument Schedule

1ST ELECTRIC







U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
25	(312)	1/323	ETC Source4 19deg 750W	  R60, T:R77529	HOSP BED	DMSR		-8', 4'6"	F:TBD / CENTER ON HOSPITA L BED	TBD
26	(119)	6/19	ETC Source4 LED 26deg	 R119	LED SIDE PIPES	DSL		10', 6'	F:S2S	CUT OFF FRONT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

2ND ELECTRIC



U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(38)	1/352	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DSL		15', 9'		
2	(74)	1/351	Altman PAR 64 NSP	 R3203	BX LIGHT	DDSL		15', 3'		
3	(37)	1/350	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DMSL		9', 9'		
4	(73)	1/349	Altman PAR 64 NSP	 R3203	BX LIGHT	DDMSL		9', 3'		
5	(36)	1/348	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DMSL		3', 9'		
6	(72)	1/347	Altman PAR 64 NSP	 R3203	BX LIGHT	DDMSL		3', 3'		
7	(366)	1/358	ETC Source4 36deg 750W	  N/C, T:R_C2-1005	SUN SP	DSC		0', 6'	F:S2S	
8	(71)	1/357	Altman PAR 64 NSP	 R3203	BX LIGHT	DDMS R		-3', 3'		
9	(35)	1/356	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DMSR		-3', 9'		
10	(236)	1/355	ETC Source4 26deg 750W	 R3315	CHRIS SPECIAL	DSR		-12', 7'	TBD	TBD
11	(70)	1/354	Altman PAR 64 NSP	 R3203	BX LIGHT	DDMS R		-9', 3'		
12	(34)	1/353	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DMSR		-9', 9'		



The Kennedy Plays.lw6

Instrument Schedule

2ND ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
13	(69)	1/363	Altman PAR 64 NSP	 R3203	BX LIGHT	DDSR		-15', 3'		
14	(33)	1/364	ETC Source4 PAR MFL	 R3204	TOP LIGHT	DSR		-15', 9'		



The Kennedy Plays.lw6

Instrument Schedule

3RD ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(122)	6/28	ETC Source4 LED 26deg	R119	LED SIDE PIPES	CSR		-10', 14'	F:S2S	CUT OFF FRONT OF LEGS
2	(162)	1/393	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	CSL		12', 15'	F:HO	
3	(161)	1/394	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	CMSL		4', 15'	F:HO	
4	(32)	1/370	ETC Source4 PAR MFL	R3204	TOP LIGHT	CSL		15', 15'		
5	(68)	1/369	Altman PAR 64 NSP	R3203	BX LIGHT	DSL		15', 9'		
6	(611)	6/60	High End Systems SolaTheater		SOLA					
7	(234)	1/368	ETC Source4 19deg 750W	R3315	KAY SPECIAL	DSL		15', 5'	TBD	TBD
8	(160)	1/367	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	CMSR		-4', 15'	F:HO	
9	(31)	1/366	ETC Source4 PAR MFL	R3204	TOP LIGHT	CMSL		9', 15'		
10	(67)	1/365	Altman PAR 64 NSP	R3203	BX LIGHT	DMSL		9', 9'		
11	(92)	1/382	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DDSL		12', 4'		
12	(159)	1/381	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	CSR		-12', 15'	F:HO	
13	(91)	1/380	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DDMSL		4', 4'		



The Kennedy Plays.lw6

Instrument Schedule

3RD ELECTRIC








U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
14	(243)	1/379	ETC Source4 36deg 750W	R3206 + R119	MS STAIR SPECIAL	CMSL		9TH STEP OF MS STAIR CONFIG	F:S2S	CUTTO STAIR
15	(66)	1/378	Altman PAR 64 NSP	R3203	BX LIGHT	DMSL		3', 9'		
16	(30)	1/376	ETC Source4 PAR MFL	R3204	TOP LIGHT	CMSL		3', 15'		
17	(65)	1/375	Altman PAR 64 NSP	R3203	BX LIGHT	DMSR		-3', 9'		
18	(90)	1/377	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DDMS R		-4', 4'		
19	(29)	1/374	ETC Source4 PAR MFL	R3204	TOP LIGHT	CMSR		-3', 15'		
20	(142)	1/373	ETC Source4 26deg 750W	R09, T:R78418	SR TEXT. WARM	CSL		12', 15'	F:HO	
21	(89)	1/372	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DDSR		-12', 4'		
22	(64)	1/371	Altman PAR 64 NSP	R3203	BX LIGHT	DMSR		-9', 9'		
23	(28)	1/388	ETC Source4 PAR MFL	R3204	TOP LIGHT	CMSR		-9', 15'		
24	(141)	1/384	ETC Source4 26deg 750W	R09, T:R78418	SR TEXT. WARM	CMSL		4', 15'	F:HO	
25	(610)	6/107	High End Systems SolaTheater		SOLA					



The Kennedy Plays.lw6

Instrument Schedule

3RD ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
26	(63)	1/387	Altman PAR 64 NSP	 R3203	BX LIGHT	DSR		-15', 9'		
27	(27)	1/386	ETC Source4 PAR MFL	 R3204	TOP LIGHT	CSR		-15', 15'		
28	(140)	1/385	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	CMSR		-4', 15'	F:HO	
29	(139)	1/383	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	CSR		-12', 15'	F:HO	
30	(121)	6/37	ETC Source4 LED 26deg	 R119	LED SIDE PIPES	CSL		10', 14'	F:S2S	CUT OFF FRONT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

4TH ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(124)	6/46	ETC Source4 LED 26deg	R119	LED SIDE PIPES	USR		-10', 22'	F:S2S	CUT OFF FRONT OF LEGS
2	(166)	1/395	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	USL		12', 22'	F:HO	CUT OFF US SCRIM
3	(165)	1/406	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	UMSL		4', 22'	F:HO	CUT OFF US SCRIM
4	(26)	1/405	ETC Source4 PAR MFL	R3204	TOP LIGHT	USL		15', 21'		
5	(62)	1/404	Altman PAR 64 NSP	R3203	BX LIGHT	CSL		15', 15'		
6	(164)	1/403	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	UMSR		-4', 22'	F:HO	CUT OFF US SCRIM
7	(25)	1/402	ETC Source4 PAR MFL	R3204	TOP LIGHT	UMSL		9', 21'		
8	(61)	1/401	Altman PAR 64 NSP	R3203	BX LIGHT	CMSL		9', 15'		
9	(88)	1/412	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DSL		12', 10'		
10	(163)	1/411	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	USR		-12', 22'	F:HO	CUT OFF US SCRIM
11	(24)	1/268	ETC Source4 PAR MFL	R3204	TOP LIGHT	UMSL		3', 21'		
12	(502)	1/397	PRACTICAL		W CAR PRACTICAL					
13	(87)	1/267	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DMSL		4', 10'		



The Kennedy Plays.lw6

Instrument Schedule

4TH ELECTRIC






U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
14	(60)	1/408	Altman PAR 64 NSP	R3203	BX LIGHT	CMSL		3', 15'		
15	(609)	6/154	High End Systems SolaTheater		SOLA					
16	(86)	1/407	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DMSR		-4', 10'		
17	(23)	1/418	ETC Source4 PAR MFL	R3204	TOP LIGHT	UMSR		-3', 21'		
18	(59)	1/417	Altman PAR 64 NSP	R3203	BX LIGHT	CMSR		-3', 15'		
19	(146)	1/416	ETC Source4 26deg 750W	R09, T:R78418	SR TEXT. WARM	USL		12', 22'	F:HO	CUT OFF US SCRIM
20	(242)	1/415	ETC Source4 36deg 750W	R3206 + R119	MS STAIR SPECIAL	CMSL		6TH STEP OF MS STAIR CONFIG	F:S2S	CUTTO STAIR
21	(85)	1/414	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	DSR		-12', 10'		
22	(58)	1/413	Altman PAR 64 NSP	R3203	BX LIGHT	CMSR		-9', 15'		
23	(22)	1/424	ETC Source4 PAR MFL	R3204	TOP LIGHT	UMSR		-9', 21'		
24	(145)	1/423	ETC Source4 26deg 750W	R09, T:R78418	SR TEXT. WARM	UMSL		4', 22'	F:HO	CUT OFF US SCRIM
25	(57)	1/422	Altman PAR 64 NSP	R3203	BX LIGHT	CSR		-15', 15'		
26	(21)	1/421	ETC Source4 PAR MFL	R3204	TOP LIGHT	USR		-15', 21'		



The Kennedy Plays.lw6

Instrument Schedule

4TH ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
27	(144)	1/420	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	UMSR		-4', 22'	F:HO	CUT OFF US SCRIM
28	(143)	1/419	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	USR		-12', 22'	F:HO	CUT OFF US SCRIM
29	(123)	6/1	ETC Source4 LED 19deg	 R119	LED SIDE PIPES	USL		10', 22'	F:S2S	CUT OFF FRONT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

5TH ELECTRIC












U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(56)	1/436	Altman PAR 64 NSP	R3203	BX LIGHT	USL		15', 21'		
2	(55)	1/435	Altman PAR 64 NSP	R3203	BX LIGHT	UMSL		9', 21'		
3	(84)	1/434	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	CSL		12', 16'		
4	(54)	1/433	Altman PAR 64 NSP	R3203	BX LIGHT	UMSL		3', 21'		
5	(83)	1/432	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	CMSL		4', 16'		
6	(235)	1/431	ETC Source4 19deg 750W	R3315	AHERNE BX SPECIAL	UUMSL		4', 19'	TBD	TBD
7	(82)	1/430	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	CMSR		-4', 16'		
8	(53)	1/429	Altman PAR 64 NSP	R3203	BX LIGHT	UMSR		-3', 21'		
9	(81)	1/428	ETC Source4 26deg 750W	R3202, T:G726	BX. TEXT COOL	CSR		-12', 16'		
10	(52)	1/427	Altman PAR 64 NSP	R3203	BX LIGHT	UMSR		-9', 21'		
11	(241)	1/426	ETC Source4 36deg 750W	R3206 + R119	MS STAIR SPECIAL	CC		3RD STEP OF MS STAIR CONFIG	F:S2S	CUTTO STAIR
12	(51)	1/425	Altman PAR 64 NSP	R3203	BX LIGHT	USR		-15', 21'		



The Kennedy Plays.lw6

Instrument Schedule

6TH ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(319)	1/398	ETC Source4 19deg 750W	  R361 + R119, T:R78129	BOAT LANE	UUSL		13', 30'	F:OH, GOBO LONG L/ R	CUT OFF RP SCREEN
2	(233)	1/399	ETC Source4 26deg 750W	 R3315	STORERM SP.	UUMS R		-5, 30'	F:S2S	CUT OFF SCRIM & BLK DRP
3	(232)	1/442	ETC Source4 26deg 750W	 R3315	STORERM SP.	UUMS R		-10', 30'	F:S2S	CUT OFF SCRIM & BLK DRP
4	(318)	1/441	ETC Source4 19deg 750W	  R361 + R119, T:R78129	BOAT LANE	UUMSL		6', 30'	F:OH, GOBO LONG L/ R	CUT OFF RP SCREEN
5	(231)	1/440	ETC Source4 26deg 750W	 R3315	STORERM SP.	UUSR		-15', 30'	F:S2S	CUT OFF SCRIM & BLK DRP
6	(317)	1/439	ETC Source4 19deg 750W	  R361 + R119, T:R78129	BOAT LANE	UUSC		0', 30'	F:OH, GOBO LONG L/ R	CUT OFF RP SCREEN
7	(316)	1/438	ETC Source4 19deg 750W	  R361 + R119, T:R78129	BOAT LANE	UUMS R		-6', 30'	F:OH, GOBO LONG L/ R	CUT OFF RP SCREEN



The Kennedy Plays.lw6

Instrument Schedule

6TH ELECTRIC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
8	(315)	1/437	ETC Source4 19deg 750W	R361 + R119, T:R78129	BOAT LANE	UUSR		-13', 30'	F:OH, GOBO LONG L/ R	CUT OFF RP SCREEN

BOOTH PIPE





U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(305)	1/212	ETC Source4 10deg 750W	R3204 +R132	FL EYES	CSL		13', 10'	F:S2S	CUT OFF LEGS & PROSC.
2	(304)	1/211	ETC Source4 10deg 750W	R3204 +R132	FL EYES	CMSL		6'6", 10'	F:S2S	
3	(303)	1/213	ETC Source4 10deg 750W	R3204 +R132	FL EYES	CC		0', 10'	F:S2S	
4	(302)	1/216	ETC Source4 10deg 750W	R3204 +R132	FL EYES	CMSR		-6' 6", 10'	F:S2S	
5	(301)	1/215	ETC Source4 10deg 750W	R3204 +R132	FL EYES	CSR		-13', 10'	F:S2S	CUT OFF LEGS & PROSC.



The Kennedy Plays.lw6

Instrument Schedule

DS DECK

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
	(521)	1/309	PRACTICAL		VANITY					
1	(216)	1/460	Altman Zip Strip 3 Circuit	 R09 + R3202 + R3304	FL FOOT	DS	SEE W/ MOVIE STAR CONFIG	15', 4'	MIGHT NEED BLACK TACK	OFF US VOID
2	(215)	1/469	Altman Zip Strip 3 Circuit	 R09 + R3202 + R3304	FL FOOT	DS	SEE W/ MOVIE STAR CONFIG	9', 4'	MIGHT NEED BLACK TACK	OFF US VOID
3	(214)	1/472	Altman Zip Strip 3 Circuit	 R09 + R3202 + R3304	FL FOOT	DS	SEE W/ MOVIE STAR CONFIG	-9', 4'	MIGHT NEED BLACK TACK	OFF US VOID
4	(213)	1/475	Altman Zip Strip 3 Circuit	 R09 + R3202 + R3304	FL FOOT	DS	SEE W/ MOVIE STAR CONFIG	-3', 4'	MIGHT NEED BLACK TACK	OFF US VOID
5	(212)	1/459	Altman Zip Strip 3 Circuit	 R09 + R3202 + R3304	FL FOOT	DS	SEE W/ MOVIE STAR CONFIG	3', 4'	MIGHT NEED BLACK TACK	OFF US VOID



The Kennedy Plays.lw6

Instrument Schedule

DS DECK

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
6	(211)	1/468	Altman Zip Strip 3 Circuit	R09 + R3202 + R3304	FL FOOT	DS	SEE W/ MOVIE STAR CONFIG	-15', 4'	MIGHT NEED BLACK TACK	OFF US VOID

GRID PIPE AA














U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(118)	7/100	ETC Source4 LED 19deg	R119	LED SIDE PIPES	DDSR		-10', -1'	F:S2S	TBD
2	(154)	1/174	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DDSL		12', 1'	F:HO	
3	(153)	1/173	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DDMSL		4', 1'	F:HO	
4	(50)	1/171	ETC Source4 PAR MFL	R3204	TOP LIGHT	APSL		15'. -3'		
5	(245)	1/182	ETC Source4 26deg 750W	R3206 + R119	MS DECK SP	CMSL		MS DECK C	F:S2S	CUTTO DECK EDGES
6	(152)	1/181	ETC Source4 26deg 750W	R70, T:R78023	SL TEXT. COOL	DDMS R		-4', 1'	F:HO	
7	(367)	1/188	ETC Source4 36deg 750W	N/C, T:R_C2-1005	SUN SP	DSC		0', 6'	F:S2S	
7	(49)	1/179	ETC Source4 PAR MFL	R3204	TOP LIGHT	APMSL		9', -3'		



The Kennedy Plays.lw6

Instrument Schedule

GRID PIPE AA




U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
8	(608)	7/1	High End Systems SolaTheater		SOLA					
9	(151)	1/184	ETC Source4 26deg 750W	  R70, T:R78023	SL TEXT. COOL	DDSR		-12', 1'	F:HO	
10	(48)	1/183	ETC Source4 PAR MFL	 R3204	TOP LIGHT	APMSL		3', -3'		
11	(239)	1/187	ETC Source4 26deg 750W	 R3315 + R119	HEART STAIR SP	CMSR		-3', 13'	F:S2S / 9TH STEP OF STAIR	CUTTO STAIR
12	(47)	1/194	ETC Source4 PAR MFL	 R3204	TOP LIGHT	APMSR		-3', -3'		
13	(134)	1/193	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	DDSL		12', 1'	F:HO	
14	(607)	7/48	High End Systems SolaTheater		SOLA					
15	(46)	1/198	ETC Source4 PAR MFL	 R3204	TOP LIGHT	APMSR		-9', -3'		
16	(133)	1/197	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	DDMSL		4', 1'	F:HO	
17	(132)	1/196	ETC Source4 26deg 750W	  R09, T:R78418	SR TEXT. WARM	DDMS R		-4', 1'	F:HO	
18	(45)	1/195	ETC Source4 PAR MFL	 R3204	TOP LIGHT	APSL		-15', -3'		



The Kennedy Plays.lw6

Instrument Schedule

GRID PIPE AA

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
19	(131)	1/203	ETC Source4 26deg 750W	  R09, T:R78418	SRTEXT. WARM	DDSR		-12', 1'	F:HO	
20	(117)	7/109	ETC Source4 LED 19deg	 R119	LED SIDE PIPES	DDSL		10', -1'	F:S2S	TBD



The Kennedy Plays.lw6

Instrument Schedule

GRID PIPE AB

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(10)	1/145	ETC Source4 Zoom 15-30°	 R3206 + R132	FRONT LIGHT	CSL		13', 17'	F:S2S	TOP CUT OFF AA PIPE
2	(9)	1/148	ETC Source4 Zoom 15-30°	 R3206 + R132	FRONT LIGHT	CMSL		6', 17'	F:S2S	TOP CUT OFF AA PIPE
3	(8)	1/147	ETC Source4 Zoom 15-30°	 R3206 + R132	FRONT LIGHT	CC		0', 17'	F:S2S	TOP CUT OFF AA PIPE
4	(238)	1/158	ETC Source4 26deg 750W	 R3315 + R119	HEART STAIR SP	DMSR		-3', 8'	F:S2S / 6TH STEP OF STAIR	CUT TO STAIR
5	(7)	1/153	ETC Source4 Zoom 15-30°	 R3206 + R132	FRONT LIGHT	CMSR		-6', 17'	F:S2S	TOP CUT OFF AA PIPE
6	(6)	1/156	ETC Source4 Zoom 15-30°	 R3206 + R132	FRONT LIGHT	CSR		-13', 17'	F:S2S	TOP CUT OFF AA PIPE



The Kennedy Plays.lw6

Instrument Schedule

GRID PIPE B

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(15)	1/146	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DSL		13', 10'	F:S2S	
2	(602)	7/120	Martin MAC TW1		TW1					
3	(14)	1/150	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DMSL		6', 10'	F:S2S	
4	(13)	1/154	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DSC		0', 10'	F:S2S	
5	(237)	1/149	ETC Source4 26deg 750W	R3315 + R119	HEART STAIR SP	DMSR		-3', 3'	F:S2S / 3RD STEP OF STAIR	CUTTO STAIR
6	(12)	1/123	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DMSR		-6', 10'	F:S2S	
7	(601)	7/140	Martin MAC TW1		TW1					
8	(11)	1/155	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DSR		-13', 10'	F:S2S	



The Kennedy Plays.lw6

Instrument Schedule

GRID PIPE CC

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(20)	1/118	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DDSL		13', 3'	F:S2S	
2	(19)	1/122	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DDMSL		6', 3'	F:S2S	
3	(18)	1/119	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DDSC		0', 3'	F:S2S	
4	(17)	1/125	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DDMS R		-6', 3'	F:S2S	
5	(16)	1/127	ETC Source4 Zoom 15-30°	R3206 + R132	FRONT LIGHT	DDSR		-13', 3'	F:S2S	

LINESET 10

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(501)	1/361	PRACTICAL		C CAR PRACTICAL					
2	(504)	1/362	PRACTICAL		CHRIS ROOM PRACTICAL					






The Kennedy Plays.lw6

Instrument Schedule

LINESET 16

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(503)	1/396	PRACTICAL		HEART STAIR PRACTICAL					

S L BOOM 1

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(104)	9/1	ETC Source4 LED 36deg	 R119	LED SIDE BOOM	DSL		10', 6'	F:S2S	CUT OFF FRNT OF LEGS
2	(198)	1/480	ETC Source4 26deg 750W	 R3204	BOOM HEADS	DSC		0', 6'		CUT OFF FRNT OF LEGS
3	(192)	1/481	ETC Source4 36deg 750W	 R3204	BOOM MIDS	DSL		10', 6'		CUT OFF FRNT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S L BOOM 2

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(106)	9/10	ETC Source4 LED 36deg	R119	LED SIDE BOOM	CSL		10', 14'	F:S2S	CUT OFF FRNT OF LEGS
2	(200)	1/478	ETC Source4 26deg 750W	R3204	BOOM HEADS	CC		0', 14'		CUT OFF FRNT OF LEGS
3	(194)	1/479	ETC Source4 36deg 750W	R3204	BOOM MIDS	CSL		10', 14'		CUT OFF FRNT OF LEGS

S L BOOM 3

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(196)	1/477	ETC Source4 36deg 750W	R3204	BOOM MIDS	USL		10', 22'		CUT OFF FRNT OF LEGS
2	(108)	9/19	ETC Source4 LED 36deg	R119	LED SIDE BOOM	USL		10', 22'	F:S2S	CUT OFF FRNT OF LEGS
3	(202)	1/476	ETC Source4 26deg 750W	R3204	BOOM HEADS	USC		0', 22'		CUT OFF FRNT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S L BOX BOOM

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(110)	7/165	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	DDSC		0', -1'	F:S2S	
2	(102)	7/174	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE BOOM	DDSL		10', -1'	F:S2S	TBD

S L LADDER 1

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(112)	8/1	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	DSC		0', 6'	F:S2S	CUT OFF FRONT OF LEGS
2	(178)	1/272	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	DS		SUN PIECES LS 9	F:S2S	CUT OFF LEGS
3	(172)	1/271	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	DS		SUN PIECES LS 9	F:S2S	CUT OFF LEGS

S L LADDER 2

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(114)	8/10	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	CC		0', 14'	F:S2S	CUT OFF FRONT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S L LADDER 3

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(174)	1/280	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	CS		CENTER OF SUN PIECES LS 21 + 25	F:S2S	CUT OFF LEGS
2	(180)	1/279	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	CS		CENTER OF SUN PIECES LS 21 + 25	F:S2S	CUT OFF LEGS

S L LADDER 4



U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(116)	8/19	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	USC		0', 22'	F:S2S	CUT OFF FRONT OF LEGS
2	(176)	1/278	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	US		SUN PIECES LS 31	F:S2S	CUT OFF LEGS
3	(182)	2/30	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	US		SUN PIECES LS 31	F:S2S	CUT OFF LEGS






The Kennedy Plays.lw6

Instrument Schedule

S L LADDER 5

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(322)	1/285	ETC Source4 19deg 750W	 R362 + R119	BOAT SL			6', 30'	F:S2S	CUT OFF RP & STAIRS
2	(324)	1/284	ETC Source4 19deg 750W	 R362 + R119	BOAT SL			0', 30'	F:S2S	CUT OFF RP & STAIRS

S R BOOM 1

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(103)	9/28	ETC Source4 LED 36deg	 R119	LED SIDE BOOM	DSR		-10', 6'	F:S2S	CUT OFF FRNT OF LEGS
2	(197)	1/483	ETC Source4 26deg 750W	 R3204	BOOM HEADS	DSC		0', 6'		CUT OFF FRNT OF LEGS
3	(191)	1/482	ETC Source4 36deg 750W	 R3204	BOOM MIDS	DSR		-10', 6'		CUT OFF FRNT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S R BOOM 2

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(105)	9/37	ETC Source4 LED 36deg	R119	LED SIDE BOOM	CSR		-10', 14'	F:S2S	CUT OFF FRNT OF LEGS
2	(199)	1/485	ETC Source4 26deg 750W	R3204	BOOM HEADS	CC		0', 14'		CUT OFF FRNT OF LEGS
3	(193)	1/484	ETC Source4 36deg 750W	R3204	BOOM MIDS	CSR		-10', 14'		CUT OFF FRNT OF LEGS

S R BOOM 3

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(195)	1/487	ETC Source4 36deg 750W	R3204	BOOM MIDS	USR		-10', 22'		CUT OFF FRNT OF LEGS
2	(107)	9/46	ETC Source4 LED 36deg	R119	LED SIDE BOOM	USR		-10', 22'	F:S2S	CUT OFF FRNT OF LEGS
3	(201)	1/486	ETC Source4 26deg 750W	R3204	BOOM HEADS	USC		0', 22'		CUT OFF FRNT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S R BOX BOOM

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(251)	1/246	ETC Source4 19deg 750W	R3208 + R132	MS STAIRS FL	CMSL		4', 10'	F:S2S	CUT OFF LEGS. KEEP ON STAIRS.
2	(101)	7/183	ETC Source4 LED 26deg	R119	LED SIDE BOOM	DDSR		-10', -1'	F:S2S	TBD
3	(109)	7/192	ETC Source4 LED 26deg	R119	LED SIDE LADDERS	DDSC		0', -1'	F:S2S	
4	(249)	1/241	ETC Source4 19deg 750W	R3208 + R132	MS STAIRS FL	CC		6TH STEP OF MS STAIR CONFIG	F:S2S	CUT OFF LEGS. KEEP ON STAIRS.
5	(250)	1/243	ETC Source4 19deg 750W	R3208 + R132	MS STAIRS FL	CSL		9', 7'	F:S2S	CUT OFF LEGS. KEEP ON STAIRS.
6	(248)	1/242	ETC Source4 19deg 750W	R3208 + R132	MS STAIRS FL	CMSL		9TH STEP OF MS STAIR CONFIG	F:S2S	CUT OFF LEGS. KEEP ON STAIRS.
7	(252)	1/245	ETC Source4 19deg 750W	R3208 + R132	MS STAIRS FL	CC		-1', 13'	F:S2S	CUT OFF LEGS. KEEP ON STAIRS.
8	(247)	1/244	ETC Source4 19deg 750W	R3208 + R132	MS STAIRS FL	CSL		DECK OF MS STAIR CONFIG	F:S2S	CUT OFF LEGS. KEEP ON STAIRS.



The Kennedy Plays.lw6

Instrument Schedule

S R LADDER 1

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(177)	1/307	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	DS		SUN PIECES LS 9	F:S2S	CUT OFF LEGS
2	(171)	1/308	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	DS		SUN PIECES LS 9	F:S2S	CUT OFF LEGS
3	(111)	8/28	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	DSC		0', 6'	F:S2S	CUT OFF FRONT OF LEGS

S R LADDER 2

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(113)	8/37	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	CC		0', 14'	F:S2S	CUT OFF FRONT OF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S R LADDER 3

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(179)	1/312	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	CS		CENTER OF SUN PIECES LS 21 + 25	F:S2S	CUT OFF LEGS
2	(173)	1/311	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	CS		CENTER OF SUN PIECES LS 21 + 25	F:S2S	CUT OFF LEGS

S R LADDER 4



U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(181)	1/314	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	US		SUN PIECES LS 31	F:S2S	CUT OFF LEGS
2	(115)	8/46	ETC Source4 LED 26deg	<input type="radio"/> R119	LED SIDE LADDERS	USC		0', 22'	F:S2S	CUT OFF FRONT OF LEGS
3	(175)	1/315	Seachanger ETC Source4 36deg 750W	<input type="radio"/> N/C	SIDE SEACHANGER	US		SUN PIECES LS 31	F:S2S	CUT OFF LEGS



The Kennedy Plays.lw6

Instrument Schedule

S R LADDER 5

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(321)	1/313	ETC Source4 19deg 750W	 R362 + R119	BOAT SL			-6', 30'	F:S2S	CUT OFF RP & STAIRS
2	(323)	1/316	ETC Source4 19deg 750W	 R362 + R119	BOAT SL			-13', 30'	F:S2S	CUT OFF RP & STAIRS

TW1 MOUNT DSR

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(603)	9/60	Martin MAC TW1		TW1					



The Kennedy Plays.lw6

Instrument Schedule

US DECK

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(514)	2/32	PRACTICAL		KEROSENE LAMP					
2	(227)	2/41	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK
3	(513)	2/33	PRACTICAL		KEROSENE LAMP					
4	(226)	2/40	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK
5	(512)	2/34	PRACTICAL		KEROSENE LAMP					
6	(225)	2/39	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK
7	(511)	2/35	PRACTICAL		KEROSENE LAMP					
8	(224)	2/38	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK



The Kennedy Plays.lw6

Instrument Schedule

US DECK

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
9	(223)	2/37	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK
10	(222)	2/36	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK
11	(221)	2/31	Altman Q Lite		BX FOOT	CC		0', 15'	SEE W. SUN PIECES & MAN	MIGHT NEED BLACK TACK

TW1 MOUNT MSR

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(605)	9/80	Martin MAC TW1		TW1					

TW1 MOUNT MSL

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(606)	9/100	Martin MAC TW1		TW1					



The Kennedy Plays.lw6

Instrument Schedule

TW1 MOUNT DSL

U#	Chan	Address	Instrument Type	Color & Gobo	Purpose	F. Area	Fcs. Sc	Hot Spot	Fcs. N	Focus Cut Note
1	(604)	9/270	Martin MAC TW1		TW1					